

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 01/22/2014

Version: 1.0

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

# 1.1. Product Identifier Product Form: Mixture

Product Name: Jet Fuel; Jet A

Synonyms: Jet-A; Jet Fuel; Jet Jp-8; Kerosene (Type II)

Product Group: Commercial product

1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Aviation fuel. For professional use only.

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Customer

EPIC Aviation, LLC P.O. Box 12249 Salem, OR 97309

T 866-501-3742

www.EPICaviationllc.com

#### 1.4. Emergency Telephone Number

Emergency Number : Within USA and Canada: 800-424-9300

Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC -

Day or Night

### **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the Substance or Mixture Classification (GHS-US)

Flam. Liq. 3	H226
Acute Tox. 3 (Inhalation:dust,mist)	H331
Skin Irrit. 2	H315
Muta. 1B	H340
Carc. 1A	H350
Repr. 2	H361
STOT SE 3	H335
STOT SE 3	H336
STOT RE 1	H372
Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### 2.2. Label Elements

**GHS-US Labeling** 

**Hazard Pictograms (GHS-US)** 











Signal Word (GHS-US)

Hazard Statements (GHS-US)

: Danger

: H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H331 - Toxic if inhaled

H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

01/22/2014 EN (English US) 1/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

H372 - Causes damage to organs (lung/respiratory system) through prolonged or

repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements (GHS-US)**

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe fume, mist, spray, vapors.

P264 - Wash hands and forearms thoroughly after handling

P270 - Do no eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear protective gloves, protective clothing, eye protection, face protection, respiratory protection

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P311 - Call a POISON CENTER or doctor

P312 - Call a POISON CENTER or doctor if you feel unwell

P314 - Get medical advice and attention if you feel unwell

P321 - Specific treatment (see section 4)

P331 - If swallowed, do NOT induce vomiting

P332+P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing

P370+P378 - In case of fire: Use dry chemical, water spray, regular foam for extinction

P391 - Collect spillage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to local, regional, national, and international regulations

#### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification: Flammable vapors can accumulate in head space of closed systems. People with pre-existing eye problems, skin disorders, or respiratory issues may be more susceptible to the effects of this product.

#### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product Identifier	%	Classification (GHS-US)
Distillates, petroleum,	(CAS No) 68333-25-5	0 - 100	Flam. Liq. 3, H226

01/22/2014 EN (English US) 2/26

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Г		1	
hydrodesulfurized light catalytic			Acute Tox. 4 (Inhalation:dust,mist), H332
cracked			Skin Irrit. 2, H315
			Carc. 1B, H350
			STOT RE 2, H373
			Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Distillates, petroleum, straight-	(CAS No) 64741-44-2	0 - 100	Flam. Liq. 3, H226
run middle			Acute Tox. 4 (Inhalation), H332
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Carc. 2, H351
			STOT SE 3, H335
			STOT RE 2, H373
			Asp. Tox. 1, H304
			Aquatic Chronic 2, H411
Distillates, petroleum,	(CAS No) 64742-80-9	0 - 100	Flam. Liq. 3, H226
hydrodesulfurized middle	(CAS NO) 64742-80-9	0 - 100	· ·
nyarodesullanzea midale			Acute Tox. 4 (Inhalation:dust,mist), H332
			Skin Irrit. 2, H315
			Carc. 1B, H350
			STOT RE 2, H373
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
			Aquatic Chronic 2, H411
Kerosine, petroleum	(CAS No) 8008-20-6	0 - 100	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			STOT SE 3, H336
			Asp. Tox. 1, H304
			Aquatic Chronic 2, H411
Kerosine, petroleum,	(CAS No) 64742-81-0	20 - 40	Flam. Liq. 3, H226
hydrodesulfurized			Skin Irrit. 2, H315
,			STOT SE 3, H336
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
			Aquatic Chronic 2, H411
Distillates, petroleum, light	(CAS No) 64741-77-1	5 - 25	Flam. Liq. 3, H226
hydrocracked	(CA3 NO) 04741 77 1	3 23	Acute Tox. 4 (Inhalation:dust,mist), H332
nydrocracked			Skin Irrit. 2, H315
			Carc. 2, H351
			STOT RE 2, H373
			Asp. Tox. 1, H304
			Aquatic Acute 3, H402
			Aquatic Chronic 2, H411
Naphthalene	(CAS No) 91-20-3	0 - 3	Comb. Dust
			Flam. Sol. 1, H228
			Acute Tox. 4 (Oral), H302
			Carc. 2, H351
			Aquatic Acute 1, H400
	<u> </u>		Aquatic Chronic 1, H410
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	0 - 2	Flam. Liq. 3, H226
	·		Acute Tox. 4 (Dermal), H312
			Acute Tox. 4 (Inhalation:vapour), H332
			Skin Irrit. 2, H315
			Aquatic Acute 2, H401
Toluene	(CAS No) 108-88-3	0 - 1	Flam. Liq. 2, H225
Totache	(0/13 140) 100-00-3		Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			3KIII II III. 2, F1313

01/22/2014 EN (English US) 3/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

			Free levit 24 11240
			Eye Irrit. 2A, H319
			Repr. 2, H361
			STOT SE 3, H336
			STOT RE 2, H373
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
Benzene	(CAS No) 71-43-2	0 - 1	Flam. Liq. 2, H225
			Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			Muta. 1B, H340
			Carc. 1A, H350
			STOT RE 1, H372
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
Ethylbenzene	(CAS No) 100-41-4	0 - 1	Flam. Liq. 2, H225
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Muta. 1B, H340
			Carc. 1A, H350
			STOT RE 2, H373
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
			Aquatic Chronic 3, H412
Biphenyl	(CAS No) 92-52-4	0 - 0.5	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			STOT SE 3, H335
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

attention.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of First Aid Measures

First-aid Measures General: If medical advice is needed, have product container or label at hand.

**First-aid Measures After Inhalation**: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact**: Wash immediately with plenty of soap and water. Seek medical attention if ill effect or irritation develops. In case of contact, remove contaminated clothing and shoes. Wash contaminated clothing before reuse. **First-aid Measures After Eye Contact**: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and

**First-aid Measures After Ingestion**: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Eye irritation. Irritation of respiratory tract. Toxic if inhaled. May cause heritable genetic damage. May cause cancer. May damage fertility. May damage the unborn child. Vapors may cause drowsiness and dizziness. Causes damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

**Symptoms/Injuries After Inhalation:** Overexposure may be irritating to the respiratory system. High concentration of vapours may induce: headache, dizziness, drowsiness, nausea and vomiting. Toxic if inhaled.

**Symptoms/Injuries After Skin Contact:** Repeated or prolonged skin contact may cause dermatitis and defatting. Causes skin irritation.

Symptoms/Injuries After Eye Contact: Causes eye irritation.

**Symptoms/Injuries After Ingestion:** Abdominal pain. Diarrhea. Vomiting. Nausea. May be fatal if swallowed and enters airways.

**Chronic Symptoms:** May cause damage to central nervous sysyem and respiratory system. May cause cancer. Suspected of damaging fertility. Suspected of damaging the unborn child. Chronic exposure causes liver and kidney damages.

01/22/2014 EN (English US) 4/26

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing Media

Suitable Extinguishing Media: Dry chemical, water spray, regular foam.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Flammable liquid. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours. Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level. Exposed to ignition source, vapours can burn in open / explode if confined. Under conditions of fire this material may produce: Carbon monoxide. Carbon dioxide (CO2). Low molecular weight hydrocarbon fragments. Smoke.

**Explosion Hazard:** Exposed to ignition source, vapours can burn in open / explode if confined.

Reactivity: Stable at ambient temperature and under normal conditions of use.

#### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Other information:** Do not allow run-off from fire fighting to enter drains or water courses. Do not allow the product to be released into the environment.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures**: Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapors, mist, spray). Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

#### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE). **Emergency Procedures:** Evacuate unnecessary personnel. Ventilate area.

#### 6.1.2. For Emergency Responders

**Protective Equipment:** Use appropriate personal protection equipment (PPE). **Emergency Procedures:** Evacuate unnecessary personnel. Ventilate area.

#### 6.2. Environmental Precautions

Do not allow to enter drains or water courses. Dangerous due to potential toxicity for the environment.

#### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Absorb and/or contain spill with inert material, then place in suitable container. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. Contact competent authorities after a spill. Use only non-sparking tools.

6.4. Reference to Other Sections See heading 8, Exposure Controls and Personal Protection.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Flammable vapours can accumulate in head space of closed systems. Do not pressurize, cut, or weld containers. Avoid all eyes and skin contact and do not breathe vapour and mist.

**Precautions for Safe Handling:** Ensure there is adequate ventilation. Proper grounding procedures to avoid static electricity should be followed. Avoid all eyes and skin contact and do not breathe vapor and mist. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Take precautionary measures against static discharge.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Do no eat, drink or smoke when using this product.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

01/22/2014 EN (English US) 5/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Storage Conditions:** Keep/Store away from extremely high or low temperatures, ignition sources, sparks, incompatible materials

**Incompatible Products:** Strong acids, strong bases, strong oxidizers.

#### 7.3. Specific End Use(s)

Aviation fuel. For professional use only.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

Naphthalene (91-20-3)		
USA ACGIH	ACGIH TWA (ppm)	10 nnm
USA ACGIH	ACGIH TWA (ppin)  ACGIH STEL (ppm)	10 ppm 15 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	50 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	75 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (STEL) (ppm)	15 ppm
USA IDLH	US IDLH (ppm)	250 ppm
		· ·
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm
	troleum (8008-20-6)	
USA ACGIH	ACGIH TWA (mg/m³)	200 mg/m³ (application restricted to conditions in which there
USA NIOSH	NIOSH REL (TWA) (mg/m³)	are negligible aerosol exposures)  100 mg/m <sup>3</sup>
	. , , , , , , , , , , , , , , , , , , ,	100 Hig/III
Ethylbenzene		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	435 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	545 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (STEL) (ppm)	125 ppm
USA IDLH	US IDLH (ppm)	800 ppm (10% LEL)
USA OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
Kerosine, pet	troleum, hydrodesulfurized (64742-81-0)	
USA ACGIH	ACGIH TWA (mg/m³)	200 mg/m³ (application restricted to conditions in which there
		are negligible aerosol exposures)
Benzene (71-	1	
USA ACGIH	ACGIH TWA (ppm)	0.5 ppm
USA ACGIH	ACGIH STEL (ppm)	2.5 ppm
USA NIOSH	NIOSH REL (TWA) (ppm)	0.1 ppm
USA NIOSH	NIOSH REL (STEL) (ppm)	1 ppm
USA IDLH	US IDLH (ppm)	500 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	1 ppm
USA OSHA	OSHA PEL (STEL) (ppm)	5 ppm (see 29 CFR 1910.1028)
USA OSHA	OSHA PEL (Ceiling) (ppm)	25 ppm
Toluene (108		Loo
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	375 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	560 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	150 ppm

01/22/2014 EN (English US) 6/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA IDLH	US IDLH (ppm)	500 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm
USA OSHA	OSHA PEL (Ceiling) (ppm)	300 ppm
Xylenes (o-, r	n-, p- isomers) (1330-20-7)	
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm)	150 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
Biphenyl (92-	-52-4)	
USA ACGIH	ACGIH TWA (ppm)	0.2 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	0.2 ppm
USA IDLH	US IDLH (mg/m³)	100 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	0.2 ppm

#### 8.2. **Exposure Controls**

**Appropriate Engineering Controls** 

: Provide adequate ventilation. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use explosion-proof equipment. Ground/bond container and receiving equipment. Proper grounding procedures to

avoid static electricity should be followed.

**Personal Protective Equipment** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear

respiratory protection.









**Materials for Protective Clothing** : Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant

**Hand Protection** : Wear chemically resistant protective gloves.

: Chemical goggles or safety glasses. **Eye Protection** 

**Respiratory Protection** : Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations of vapor or mist are expected to exceed exposure limits.

Do not allow the product to be released into the environment. **Environmental Exposure Controls** 

**Consumer Exposure Controls** Wear recommended personal protective equipment.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on Basic Physical and Chemical Properties** 9.1.

**Physical State** : Liquid

: Clear to straw-colored liquid. **Appearance** Color Colorless to straw yellow : Petroleum hydrocarbon. Odor

**Odor Threshold** No data available pН : No data available

Relative Evaporation Rate (butylacetate=1) : Higher initially and declining as lighter components evaporate

**Melting Point** : No data available **Freezing Point** : -40 °C (-40 °F) (Jet A) **Boiling Point** : > 150 °C (> 302 °F)

**Flash Point** : 38 °C (100 °F) Pensky-Martens Closed Cup

: 204.39 °C (399.9°F) **Auto-ignition Temperature** 

**Decomposition Temperature** : Will evaporate or boil and possibly ignite before decomposition occurs

Flammability (solid, gas) : Flammable liquid and vapor

01/22/2014 EN (English US) 7/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Vapor Pressure** : 2.2 kPa @37.8°C (100°F)

Relative Vapor Density at 20 °C : 4 - 5
Relative Density : 0.82 AP
Specific Gravity : Not available

**Solubility** : Water: Very slightly soluble in cold water

**Log Pow** : 3.3 - 6

Log Kow: No data availableViscosity, Kinematic: No data availableViscosity, Dynamic: No data availableExplosive Properties: None known.Oxidizing Properties: None known.Lower Explosive Limit: 5.0 % APUpper Explosive Limit: 0.7 % AP

9.2. Other Information

VOC content : 825 g/l AP

#### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity: Stable at ambient temperature and under normal conditions of use.
- **10.2** Chemical Stability: Stable at standard temperature and pressure.
- **10.3** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4 Conditions to Avoid:** Extremely high or low temperatures. Sparks. Direct sunlight. Sources of ignition. Incompatible materials.
- **10.5** Incompatible Materials: Strong oxidizers. Strong acids, bases. Halogens. Oxidizers.
- **10.6 Hazardous Decomposition Products:** Under conditions of fire this material may produce: Carbon dioxide. Carbon monoxide. Low molecular weight hydrocarbon fragments.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information On Toxicological Effects

**Acute Toxicity** : Toxic if inhaled.

Naphthalene (91-20-3)		
LD50 Dermal Rabbit	> 20 g/kg	
LC50 Inhalation Rat (mg/l)	> 340 mg/m³ (Exposure time: 1 h)	
ATE (Oral)	490.000 mg/kg	
Kerosine, petroleum (8008-20-6)		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	> 5.28 mg/l/4h	
Ethylbenzene (100-41-4)		
LD50 Oral Rat	3500 mg/kg	
LD50 Dermal Rabbit	15354 mg/kg	
LC50 Inhalation Rat (mg/l)	17.2 mg/l/4h (Exposure time: 4 h)	
ATE (Dust/Mist)	1.500 mg/l/4h	
Kerosine, petroleum, hydrodesulfurized (64742-8	1-0)	
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	> 5.2 mg/l/4h	
Benzene (71-43-2)		
LC50 Inhalation Rat (ppm)	13050 - 14380 ppm/4h	
ATE (Oral)	1800.000 mg/kg	
Toluene (108-88-3)		
LD50 Oral Rat	636 mg/kg	
LD50 Dermal Rabbit	8390 mg/kg	

01/22/2014 EN (English US) 8/26

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LC50 Inhalation Rat (mg/l)	12.5 mg/l/4h	
LC50 Inhalation Rat (ppm)	> 26700 ppm/1h	
Xylenes (o-, m-, p- isomers) (1330-20-7)		
LD50 Oral Rat	4300 mg/kg	
LC50 Inhalation Rat (mg/l)	47635 mg/l/4h (Exposure time: 4 h)	
LC50 Inhalation Rat (ppm)	6247 ppm/4h (species: Sprague-Dawley)	
ATE (Dermal)	1100.000 mg/kg body weight	
ATE (Vapors)	11.000 mg/l/4h	
Distillates, petroleum, hydrodesulfurized middle (	64742-80-9)	
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	4.6 mg/l/4h (Exposure time: 4 h)	
ATE (Dust/Mist)	4.600 mg/l/4h	
Distillates, petroleum, straight-run middle (64741	-44-2)	
LD50 Oral Rat	5000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	1.72 mg/l/4h (Exposure time: 4 h)	
Distillates, petroleum, hydrodesulfurized light cat	alytic cracked (68333-25-5)	
LD50 Oral Rat	3200 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	4.65 mg/l/4h (Exposure time: 4 h)	
Distillates, petroleum, light hydrocracked (64741-77-1)		
LD50 Oral Rat	3200 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	4.65 mg/l/4h	
Biphenyl (92-52-4)		
ATE (Oral)	2140.000 mg/kg	

Skin Corrosion/Irritation: Causes skin irritation.
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified
Germ Cell Mutagenicity: May cause genetic defects.
Carcinogenicity: May cause cancer.

**IARC** group

**National Toxicity Program (NTP) Status** 

Naphthalene (91-20-3)	
IARC group	2B
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human
	Carcinogen.
Kerosine, petroleum (8008-20-6)	
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity.
Ethylbenzene (100-41-4)	
IARC group	2B

IARC group	2B
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity.
Benzene (71-43-2)	
IARC group	1
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity, Known Human Carcinogens.
Toluene (108-88-3)	
IARC group	3
Xylenes (o-, m-, p- isomers) (1330-20-7)	

01/22/2014 EN (English US) 9/26

Evidence of Carcinogenicity.

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Reproductive Toxicity**: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation. May cause drowsiness or dizziness.

**Specific Target Organ Toxicity (Repeated Exposure):** Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure.

**Aspiration Hazard:** May be fatal if swallowed and enters airways.

**Symptoms/Injuries After Inhalation:** Overexposure may be irritating to the respiratory system. High concentration of vapours may induce: headache, dizziness, drowsiness, nausea and vomiting. Toxic if inhaled.

**Symptoms/Injuries After Skin Contact:** Repeated or prolonged skin contact may cause dermatitis and defatting. Causes skin irritation.

Symptoms/Injuries After Eye Contact: Causes eye irritation.

**Symptoms/Injuries After Ingestion:** Abdominal pain. Diarrhea. Vomiting. Nausea. May be fatal if swallowed and enters airways.

**Chronic Symptoms:** May cause damage to central nervous sysyem and respiratory system. May cause cancer. Suspected of damaging fertility. Suspected of damaging the unborn child. Chronic exposure causes liver and kidney damages.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

**Ecology - General** : Very toxic to aquatic life with long lasting effects.

Naphthalene (91-20-3)			
LC50 Fish 1	5.74 - 6.44 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-		
	through])		
EC50 Daphnia 1	2.16 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Other Aquatic Organisms 1	0.4 mg/l (Exposure time: 72 h - Species: Skeletonema costatum)		
LC 50 Fish 2	1.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])		
EC50 Daphnia 2	1.96 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])		
Ethylbenzene (100-41-4)			
LC50 Fish 1	11.0 - 18.0 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1	1.8 - 2.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Other Aquatic Organisms 1	4.6 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)		
LC 50 Fish 2	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])		
EC50 Other Aquatic Organisms 2	> 438 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)		
Kerosine, petroleum, hydrodesulfurized (6	64742-81-0)		
LC50 Fish 1	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 Daphnia 1	4720 mg/l (Exposure time: 48 h - Species: Den-dronereides heteropoda)		
LC 50 Fish 2	1740 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
Benzene (71-43-2)			
LC50 Fish 1	10.7 - 14.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-		
	through])		
EC50 Daphnia 1	8.76 - 15.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
EC50 Other Aquatic Organisms 1	29 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)		
LC 50 Fish 2	5.3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])		
EC50 Daphnia 2	10 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Toluene (108-88-3)			
LC50 Fish 1	15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-		
	through])		
EC50 Daphnia 1	5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
EC50 Other Aquatic Organisms 1	> 433 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)		
LC 50 Fish 2	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 2	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Other Aquatic Organisms 2	12.5 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static])		
Xylenes (o-, m-, p- isomers) (1330-20-7)	Xylenes (o-, m-, p- isomers) (1330-20-7)		
LC50 Fish 1	13.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 Daphnia 1	3.82 mg/l (Exposure time: 48 h - Species: water flea)		
LC 50 Fish 2	2.661 (2.661 - 4.093) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss		

01/22/2014 EN (English US) 10/26

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Distillates, petroleum, hydrodesulfurized middle (64742-80-9)  LC50 Fish 1 35 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through))  Distillates, petroleum, hydrodesulfurized light catalytic cracked (68333-25-5)  LC50 Fish 1 7.3 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])  Distillates, petroleum, light hydrocracked (64741-77-1)  LC50 Fish 1 7.3 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])  Biphenyl (92-52-4)  LC50 Fish 1 1.65 - 2.29 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through))  EC50 Daphnia 1 0.63 - 0.85 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through))  EC50 Other Aquatic Organisms 1 1.28 mg/l (Exposure time: 48 h - Species: Chlamydomonas angulosa)  LC50 Fish 2 1.7 - 1.81 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])  12.2. Persistence and Degradability		[static])	
Internation   Internation	EC50 Daphnia 2	(Exposure time: 48 h - Species: Gammarus lacustris)	
Distillates, petroleum, hydrodesulfurized light catalytic cracked (68333-25-5)   LC50 Fish 1	Distillates, petroleum, hydrodesulfurized	middle (64742-80-9)	
CSO Fish 1   7.3 mg// (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	LC50 Fish 1	35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Distillates, petroleum, light hydrocracked (64741-77-1)   LCSO Fish 1	Distillates, petroleum, hydrodesulfurized	light catalytic cracked (68333-25-5)	
	LC50 Fish 1	7.3 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
	Distillates, petroleum, light hydrocracked	(64741-77-1)	
CSO Fish 1			
CSO Fish 1	Biphenyl (92-52-4)		
ECSO Daphnia 1   0.63 - 0.85 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
ECSO Other Aquatic Organisms 1   1.28 mg/l (Exposure time: 3 h - Species: Chlamydomonas angulosa)   1.17 - 1.81 mg/l (Exposure time: 96 h - Species: Primephales promelas [static])   12.2.   Persistence and Degradability   Not readily biodegradable.   Persistence and Degradability   Not readily biodegradable.   12.3.   Bioaccumulative Potential   Bet Fuel; Jet A   Jet	FC50 Danhnia 1		
LC 50 Fish 2	•		
12.2. Persistence and Degradability         Note readily biodegradable.           12.3. Bioaccumulative Potential           12.4. Biographic Methods           12.4. Biographic Methods           Naj - 6			
Jet Fuel; Jet A           Persistence and Degradability         Not readily biodegradable.           12.3. Bioaccumulative Potential           Jet Fuel; Jet A           Log Pow         3.3 - 6           Naphthalene (91-20-3)           BCF fish 1         30 - 430           Log Pow         3.3 (at 20 °C)           Ethylbenzene (100-41-4)           BCF fish 1         15           Log Pow         3.118           Kerosine, petroleum, hydrodesulfurized (6474-81-0)           BCF fish 1         6 1 - 159           Benzene (71-43-2)           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.55           XyJenss (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (6474-44-2)           Log Pow         3.9 - 6 <th></th> <th>0, ( p</th>		0, ( p	
Persistence and Degradability  12.3. Bioaccumulative Potential  Jet Fuel; Jet A  Log Pow 3.3 - 6  Naphthalene (91-20-3)  BCF fish 1 30 - 430  Log Pow 3.3 (at 20 °C)  Ethylbenzene (100-41-4)  BCF fish 1 15  Log Pow 3.118  Kerosine, petroleum, hydrodesulfurized (62-28-18-16)  BCF fish 1 1 59  Benzene (71-43-2)  BCF fish 1 3.5 - 4.4  Log Pow 1.83  Toluene (108-88-3)  Log Pow 2.65  Xylenes (o-, m-, p- isomers) (1330-20-7)  BCF fish 1 0.6 (0.6 - 15)  Log Pow 2.77 - 3.15  Distillates, petroleum, straight-run middle (62-27-315)  Distillates, petroleum, straight-run middle (62-27-315)  Distillates, petroleum, straight-run middle (62-27-315)  Biphenyl (92-52-4)  Log Pow 4.09  Ethylbenzene (71-43-22)  BCF fish 1 1 0.6 (0.6 - 15)  Log Pow 2.77 - 3.15  Distillates, petroleum, straight-run middle (62-27-315)			
12.3. Bioaccumulative Potential           Jet Fuel; Jet A           Log Pow         3.3 - 6           Naphthalene (91-20-3)           BCF fish 1         30 - 430           Log Pow         3.3 (at 20 °C)           Ethylbenzene (100-41-4)           BCF fish 1         15           Log Pow         3.118           Kerosine, petroleum, hydrodesulfurized (6472-81-0)           BCF fish 1         61-59           Benzene (71-43-2)           BCF fish 1         3.5 - 4.4           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           ECF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (6471-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)           Log Pow         4.09           12.4. Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low		Not readily biodegradable	
Jet Fuel; Jet A           Log Pow         3.3 - 6           Naphthalene (91-20-3)           BCF fish 1         30 - 430           Log Pow         3.3 (at 20 °C)           Ethylbenzene (100-41-4)           BCF fish 1         15           Log Pow         3.118           Kerosine, petroleum, hydrodesulfurized (64742-81-0)           BCF fish 1         61 - 159           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Tolluene (108-88-3)           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (64741-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)           Log Pow         4.09           BLA Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low		Not readily blodegradable.	
Log Pow         3.3 - 6           Naphthalene (91-20-3)           BCF fish 1         30 - 430           Log Pow         3.3 (at 20 °C)           Ethylbenzene (100-41-4)           BCF fish 1         15           Log Pow         3.18           Kerosine, petroleum, hydrodesulfurized (647⊻-81-0)           BCF fish 1         61 - 159           BCF fish 1         3.5 - 4.4           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (6471-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)           Log Pow         4.09           Biphenyl (92-52-4)           Log Pow         A.09           Biphenyl (92-52-4)           Log Pow         A.09           BCF fish 1         A.09 <th< th=""><th></th><th></th></th<>			
Naphthalene (91-20-3)   BCF fish 1		22.6	
BCF fish 1         30 - 430           Log Pow         3.3 (at 20 °C)           Ethylbenzene (100-41-4)         Total Common Strict		3.3 - 0	
Log Pow         3.3 (at 20 °C)           Ethylbenzene (100-41-4)           BCF fish 1         15           Log Pow         3.118           Kerosine, petroleum, hydrodesulfurized (6474-581-0)           BCF fish 1         61 - 159           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.65           Xylenes (or, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (64741-44-2)           Log Pow         3.9 -6           Biphenyl (92-52-4)           Log Pow         4.09           12.4. Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low	• • • • • • • • • • • • • • • • • • • •		
### BCF fish 1			
BCF fish 1         15           Log Pow         3.118           Kerosine, petroleum, hydrodesulfurized (647→159)           BCF fish 1         61 - 159           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (674-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)           Log Pow         4.09           12.4. Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low		3.3 (at 20 °C)	
Log Pow         3.118           Kerosine, petroleum, hydrodesulfurized (647+2-81-0)           BCF fish 1         61-159           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (6474-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)           Log Pow         4.09           12.4. Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low	• • •		
Kerosine, petroleum, hydrodesulfurized (64742-81-0)           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (6474-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)           Log Pow         4.09           12.4. Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low			
BCF fish 1         61 - 159           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (6√741-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)           Log Pow         4.09           12.4. Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low			
Benzene (71-43-2)           BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (64741-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)         4.09           12.4. Mobility in Soil         4.09           12.4. Mobility in Soil           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low			
BCF fish 1         3.5 - 4.4           Log Pow         1.83           Toluene (108-88-3)           Log Pow         2.65           Xylenes (o-, m-, p- isomers) (1330-20-7)           BCF fish 1         0.6 (0.6 - 15)           Log Pow         2.77 - 3.15           Distillates, petroleum, straight-run middle (64741-44-2)           Log Pow         3.9 - 6           Biphenyl (92-52-4)         4.09           12.4. Mobility in Soil         4.09           Jet Fuel; Jet A           Ecology - Soil         Hydrocarbon film may develop and spread on the surface of water. Some low	BCF fish 1 61 - 159		
Log Pow1.83Toluene (108-88-3)Log Pow2.65Xylenes (o-, m-, p- isomers) (1330-20-7)BCF fish 10.6 (0.6 - 15)Log Pow2.77 - 3.15Distillates, petroleum, straight-run middle (64*41-44-2)Log Pow3.9 - 6Biphenyl (92-52-4)4.0912.4. Mobility in Soil4.09Jet Fuel; Jet AEcology - SoilHydrocarbon film may develop and spread on the surface of water. Some low	Benzene (71-43-2)		
Toluene (108-88-3) Log Pow 2.65  Xylenes (o-, m-, p- isomers) (1330-20-7) BCF fish 1 0.6 (0.6 - 15) Log Pow 2.77 - 3.15  Distillates, petroleum, straight-run middle (4741-44-2) Log Pow 3.9 - 6  Biphenyl (92-52-4) Log Pow 4.09  12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	BCF fish 1	3.5 - 4.4	
Log Pow2.65Xylenes (o-, m-, p- isomers) (1330-20-7)BCF fish 10.6 (0.6 - 15)Log Pow2.77 - 3.15Distillates, petroleum, straight-run middle (474-44-2)Log Pow3.9 - 6Biphenyl (92-52-4)Log Pow4.0912.4. Mobility in Soil4.09Jet Fuel; Jet AEcology - SoilHydrocarbon film may develop and spread on the surface of water. Some low	Log Pow	1.83	
Xylenes (o-, m-, p- isomers) (1330-20-7)  BCF fish 1 0.6 (0.6 - 15) Log Pow 2.77 - 3.15  Distillates, petroleum, straight-run middle (6+741-44-2) Log Pow 3.9 - 6  Biphenyl (92-52-4) Log Pow 4.09  12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	Toluene (108-88-3)		
BCF fish 1 Log Pow 2.77 - 3.15  Distillates, petroleum, straight-run middle (64741-44-2) Log Pow 3.9 - 6  Biphenyl (92-52-4) Log Pow 4.09  12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	<b>Log Pow</b> 2.65		
Log Pow2.77 - 3.15Distillates, petroleum, straight-run middle (64741-44-2)Log Pow3.9 - 6Biphenyl (92-52-4)Log Pow4.0912.4. Mobility in SoilJet Fuel; Jet AEcology - SoilHydrocarbon film may develop and spread on the surface of water. Some low	Xylenes (o-, m-, p- isomers) (1330-20-7)		
Distillates, petroleum, straight-run middle (6741-44-2)  Log Pow 3.9 - 6  Biphenyl (92-52-4)  Log Pow 4.09  12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	BCF fish 1	0.6 (0.6 - 15)	
Log Pow 3.9 - 6  Biphenyl (92-52-4)  Log Pow 4.09  12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	Log Pow	2.77 - 3.15	
Biphenyl (92-52-4) Log Pow 4.09  12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	Distillates, petroleum, straight-run middle (64741-44-2)		
Log Pow 4.09  12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	Log Pow	3.9 - 6	
12.4. Mobility in Soil  Jet Fuel; Jet A  Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low	Biphenyl (92-52-4)		
Jet Fuel; Jet A         Ecology - Soil       Hydrocarbon film may develop and spread on the surface of water. Some low	Log Pow	4.09	
Jet Fuel; Jet A         Ecology - Soil       Hydrocarbon film may develop and spread on the surface of water. Some low			
Ecology - Soil Hydrocarbon film may develop and spread on the surface of water. Some low			
		Hydrocarbon film may develop and spread on the surface of water. Some low	
weight components will become volatile, while others will adsorb to sediment		weight components will become volatile, while others will adsorb to sediment	
particles. Both of these scenarios represent hazards to the aquatic ecosystem.		particles. Both of these scenarios represent hazards to the aquatic ecosystem.	

01/22/2014 EN (English US) 11/26

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.5. Other Adverse Effects

Other adverse effects : If spilled, this material will normally evaporate and may contribute to

atmospheric smog. If released to the subsoils, petroleum middle distillate fuels will strongly adsorb to soils. Groundwater should be considered as an exposure pathway. Liquid and vapor can migrate through the subsurface and preferential pathways (such as utility line backfill) to downgradient receptors.

Other Information : Middle distillates are potentially toxic to freshwater and saltwater

ecosystems. Distillate fuels will normally float on water. In stagnant or slow-flowing waterways, a hydrocarbon layer can cover a large surface area. As a result, this oil layer can limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway can cause a fish kill or create an anaerobic environment. Also, this coating action can also kill plankton, algae, and water birds.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste Treatment Methods: Recycle product or dispose properly.

**Sewage Disposal Recommendations:** Do not dispose of waste into sewer. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Additional Information:** Dispose of waste material in accordance with all local, regional, national, and international regulations. Handle empty containers with care because residual vapors are flammable.

Ecology – Waste Materials: Do not re-use empty containers without proper cleaning or reconditioning.

#### **SECTION 14: TRANSPORT INFORMATION**

In Accordance With ICAO/IATA/IMDG/DOT

14.1. UN Number

14.2. UN Proper Shipping Name

**DOT Proper Shipping Name** : Fuel, aviation, turbine engine

**Department of Transportation (DOT)** : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

**Hazard Classes** 

Hazard Labels (DOT) : 3 - Flammable liquids



Packing Group (DOT) : III - Minor Danger

01/22/2014 EN (English US) 12/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**DOT Special Provisions (49 CFR 172.102)** 

: 144 - If transported as a residue in an underground storage tank (UST), as defined in 40 CFR 280.12, that has been cleaned and purged or rendered inert according to the American Petroleum Institute (API) Standard 1604 (IBR, see 171.7 of this subchapter), then the tank and this material are not subject to any other requirements of this subchapter. However, sediments remaining in the tank that meet the definition for a hazardous material are subject to the applicable regulations of this subchapter.

B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

**DOT Packaging Exceptions (49 CFR** 

173.xxx)

: 150

**DOT Packaging Non Bulk (49 CFR** 

173.xxx)

: 203

DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional Information

Emergency Response Guide (ERG)

Number

: 128

**Other information** : No supplementary information available.

**Transport by Sea** 

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on

a passenger vessel.

MFAG-No : 128

**Air Transport** 

**DOT Quantity Limitations Passenger** 

Aircraft/Rail (49 CFR 173.27)

: 60 L

**DOT Quantity Limitations Cargo Aircraft** : 220 l

Only (49 CFR 175.75)

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1 US Federal Regulations

Jet Fuel; Jet A	
SARA Section 311/312 Hazard Classes	Fire hazard
	Immediate (acute) health hazard
	Delayed (chronic) health hazard

Naphthalene (91-20-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Listed on SARA Section 313 (Specific toxic chemical listings)		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test	
	rule under TSCA.	
RQ (Reportable quantity, section 304 of EPA's List of	100 lb	
Lists):		
SARA Section 313 - Emission Reporting	0.1 %	

01/22/2014 EN (English US) 13/26

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Kerosine, petroleum (8008-20-6)				
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Ethylbenzene (100-41-4)				
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Listed on SARA Section 313 (Specific toxic chemical listings)				
RQ (Reportable quantity, section 304 of EPA's List of	1000 lb			
Lists):				
SARA Section 313 - Emission Reporting	0.1 %			
Kerosine, petroleum, hydrodesulfurized (64742-81-0)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
Benzene (71-43-2)				
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Listed on SARA Section 313 (Specific toxic chemical listing	· · · · · · · · · · · · · · · · · · ·			
RQ (Reportable quantity, section 304 of EPA's List of	10 lb			
Lists):				
SARA Section 313 - Emission Reporting	0.1 %			
Toluene (108-88-3)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
Listed on SARA Section 313 (Specific toxic chemical listing				
RQ (Reportable quantity, section 304 of EPA's List of	1000 lb			
Lists):				
SARA Section 313 - Emission Reporting	1.0 %			
Xylenes (o-, m-, p- isomers) (1330-20-7)				
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Listed on SARA Section 313 (Specific toxic chemical listing	gs)			
RQ (Reportable quantity, section 304 of EPA's List of	100 lb			
Lists):				
SARA Section 313 - Emission Reporting	1.0 %			
Distillates, petroleum, hydrodesulfurized middle (64742-				
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Distillates, petroleum, straight-run middle (64741-44-2)				
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Distillates, petroleum, hydrodesulfurized light catalytic of	cracked (68333-25-5)			
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Distillates, petroleum, light hydrocracked (64741-77-1)				
Listed on the United States TSCA (Toxic Substances Contro	rol Act) inventory			
Biphenyl (92-52-4)				
Listed on the United States TSCA (Toxic Substances Control	rol Act) inventory			
Listed on SARA Section 313 (Specific toxic chemical listing	•			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test			
	rule under TSCA.			
SARA Section 313 - Emission Reporting	1.0 %			
15.2 US State Regulations				
Naphthalene (91-20-3)				
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State			
	of California to cause cancer.			
Ethylbenzene (100-41-4)				
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State			
	of California to cause cancer.			
Benzene (71-43-2)				
_ <del></del>				

01/22/2014 EN (English US) 14/26

of California to cause cancer.

U.S. - California - Proposition 65 - Carcinogens List

WARNING: This product contains chemicals known to the State

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S California - Proposition 65 - Developmental Toxicity	WARNING: This product contains chemicals known to the State
	of California to cause birth defects.
U.S California - Proposition 65 - Reproductive Toxicity -	WARNING: This product contains chemicals known to the State
Male	of California to cause (Male) reproductive harm.
Toluene (108-88-3)	
U.S California - Proposition 65 - Developmental Toxicity	WARNING: This product contains chemicals known to the State
	of California to cause birth defects.
U.S California - Proposition 65 - Reproductive Toxicity -	WARNING: This product contains chemicals known to the State
Female	of California to cause (Female) reproductive harm.

#### Naphthalene (91-20-3)

- U.S. California SCAQMD Toxic Air Contaminants Carcinogens
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California SDAPCD Toxic Air Contaminants Carcinogenic Impacts Must Be Calculated
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Water Quality Standards Consumption of Organisms Only
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms
- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Georgia Drinking Water Unregulated Volatile Organic Contaminants
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of High Concern
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Guidelines
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern Persistent Bioaccumulative Toxins
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Primary Drinking Water Standards Maximum Contaminant Levels MCLs

01/22/2014 EN (English US) 15/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Priority Chemical Avoidance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Air Pollutants Unit Risk Factors
- U.S. North Dakota Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Hazardous Waste Hazardous Constituents
- U.S. Vermont Permissible Exposure Limits STELs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Dangerous Waste Dangerous Waste Constituents List
- U.S. Washington Dangerous Waste Discarded Chemical Products List
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

#### Kerosine, petroleum (8008-20-6)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Minnesota Chemicals of High Concern
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Ethylbenzene (100-41-4)

U.S. - California - Priority Toxic Pollutants - Human Health Criteria

01/22/2014 EN (English US) 16/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. California SCAQMD Toxic Air Contaminants Carcinogens
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California SDAPCD Toxic Air Contaminants Carcinogenic Impacts Must Be Calculated
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Level Goals (MCLGs)
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Levels (MCLs)
- U.S. Connecticut Drinking Water Quality Standards Maximum Contaminant Levels
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Water Quality Standards Consumption of Organisms Only
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms
- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Volatile Organic Contaminants Maximum Contaminant Levels (MCLs)
- U.S. Georgia Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of High Concern
- U.S. Maryland Surface Water Quality Standards Consumption of Organisms Only
- U.S. Maryland Surface Water Quality Standards Consumption of Water and Organisms
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Nebraska Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Primary Drinking Water Standards Maximum Contaminant Levels MCLs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)

01/22/2014 EN (English US) 17/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Air Pollutants Unit Risk Factors
- U.S. North Dakota Water Quality Standards Human Health Value for Class III
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Aquatic Organisms Only
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Water and Aquatic Organisms
- U.S. South Carolina Maximum Contaminant Levels (MCLs)
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Drinking Water Standards Maximum Contaminant Levels (MCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Vermont Permissible Exposure Limits STELs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Virginia Water Quality Standards Surface Waters Not Used for the Public Water Supply Effluent Limits
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. West Virginia Water Quality Groundwater Standards Ceiling Concentrations
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

#### Kerosine, petroleum, hydrodesulfurized (64742-81-0)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Benzene (71-43-2)

- U.S. California Priority Toxic Pollutants Human Health Criteria
- U.S. California Proposition 65 Maximum Allowable Dose Levels (MADL)
- U.S. California SCAQMD Toxic Air Contaminants Carcinogens
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California SDAPCD Toxic Air Contaminants Carcinogenic Impacts Must Be Calculated
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Colorado Hazardous Wastes Maximum Concentration for the Toxicity Characteristics
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Level Goals (MCLGs)
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Levels (MCLs)
- U.S. Connecticut Carcinogenic Substances

01/22/2014 EN (English US) 18/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Connecticut Drinking Water Quality Standards Maximum Contaminant Levels
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Volatile Substances
- U.S. Connecticut Water Quality Standards Consumption of Organisms Only
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms
- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Accidental Release Prevention Regulations Sufficient Quantities
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Volatile Organic Contaminants Maximum Contaminant Levels (MCLs)
- U.S. Georgia Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Idaho Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits Acceptable Maximum Peak Above the Ceiling Concentration for an 8-Hour Shift
- U.S. Idaho Occupational Exposure Limits Ceilings
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of High Concern
- U.S. Maryland Surface Water Quality Standards Consumption of Organisms Only
- U.S. Maryland Surface Water Quality Standards Consumption of Water and Organisms
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits Skin Designations
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Missouri Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Nebraska Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Nebraska Maximum Concentration of Contaminants for the Toxicity Characteristic
- U.S. New Hampshire Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Prohibited Volatile Organic Compounds
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Control and Prohibition of Air Pollution by Toxic Substances
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Primary Drinking Water Standards Maximum Contaminant Levels MCLs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less

01/22/2014 EN (English US) 19/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. New York Occupational Exposure Limits Ceilings
- U.S. New York Occupational Exposure Limits Skin Designations
- U.S. New York Priority Chemical Avoidance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Carolina Control of Toxic Air Pollutants
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Air Pollutants Unit Risk Factors
- U.S. North Dakota Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. North Dakota Hazardous Wastes Maximum Concentration for the Toxicity Characteristic
- U.S. North Dakota Water Quality Standards Human Health Value for Class III
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits Ceilings
- U.S. Oregon Permissible Exposure Limits STELs
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Carcinogens
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Aquatic Organisms Only
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Water and Aquatic Organisms
- U.S. South Carolina Maximum Contaminant Levels (MCLs)
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits Ceilings
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Drinking Water Standards Maximum Contaminant Levels (MCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Vermont Hazardous Waste Hazardous Constituents
- U.S. Vermont Hazardous Waste Maximum Contaminant Concentration for Toxicity
- U.S. Vermont Permissible Exposure Limits Ceilings
- U.S. Vermont Permissible Exposure Limits STELs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Known or Suspected Carcinogens
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Virginia Water Quality Standards Surface Waters Not Used for the Public Water Supply Effluent Limits
- U.S. Washington Dangerous Waste Dangerous Waste Constituents List
- U.S. Washington Dangerous Waste Discarded Chemical Products List
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. West Virginia Air Quality Toxic Air Pollutant Emission Limits
- U.S. West Virginia Water Quality Groundwater Standards Ceiling Concentrations
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

01/22/2014 EN (English US) 20/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Toluene (108-88-3)

- U.S. California Priority Toxic Pollutants Human Health Criteria
- U.S. California Proposition 65 Maximum Allowable Dose Levels (MADL)
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Level Goals (MCLGs)
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Levels (MCLs)
- U.S. Connecticut Drinking Water Quality Standards Maximum Contaminant Levels
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Volatile Substances
- U.S. Connecticut Water Quality Standards Consumption of Organisms Only
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms
- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Volatile Organic Contaminants Maximum Contaminant Levels (MCLs)
- U.S. Florida Essential Chemicals List
- U.S. Georgia Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits Acceptable Maximum Peak Above the Ceiling Concentration for an 8-Hour Shift
- U.S. Idaho Occupational Exposure Limits Ceilings
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of High Concern
- U.S. Maryland Surface Water Quality Standards Consumption of Organisms Only
- U.S. Maryland Surface Water Quality Standards Consumption of Water and Organisms
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Nebraska Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Drinking Water Maximum Contaminant Levels (MCLs)
  U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances

01/22/2014 EN (English US) 21/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Primary Drinking Water Standards Maximum Contaminant Levels MCLs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Carolina Control of Toxic Air Pollutants
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. North Dakota Water Quality Standards Human Health Value for Class III
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits Ceilings
- U.S. Oregon Permissible Exposure Limits STELs
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Aquatic Organisms Only
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Water and Aquatic Organisms
- U.S. South Carolina Maximum Contaminant Levels (MCLs)
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Drinking Water Standards Maximum Contaminant Levels (MCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Vermont Hazardous Waste Hazardous Constituents
- U.S. Vermont Permissible Exposure Limits STELs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Virginia Water Quality Standards Surface Waters Not Used for the Public Water Supply Effluent Limits
- U.S. Washington Dangerous Waste Dangerous Waste Constituents List
- U.S. Washington Dangerous Waste Discarded Chemical Products List
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. West Virginia Water Quality Groundwater Standards Ceiling Concentrations
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

#### Xylenes (o-, m-, p- isomers) (1330-20-7)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues

01/22/2014 EN (English US) 22/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Level Goals (MCLGs)
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Levels (MCLs)
- U.S. Connecticut Drinking Water Quality Standards Maximum Contaminant Levels
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Volatile Organic Contaminants Maximum Contaminant Levels (MCLs)
- U.S. Georgia Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Nebraska Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Primary Drinking Water Standards Maximum Contaminant Levels MCLs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Carolina Control of Toxic Air Pollutants
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour

01/22/2014 EN (English US) 23/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. South Carolina Maximum Contaminant Levels (MCLs)
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Drinking Water Standards Maximum Contaminant Levels (MCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Washington Dangerous Waste Discarded Chemical Products List
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. West Virginia Water Quality Groundwater Standards Ceiling Concentrations
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

#### Distillates, petroleum, hydrodesulfurized middle (64742-80-9)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Distillates, petroleum, straight-run middle (64741-44-2)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Biphenyl (92-52-4)

- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual

U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances

01/22/2014 EN (English US) 24/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

### **SECTION 16: OTHER INFORMATION**

**Revision date** : 01/22/2014

 Other Information
 : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation; category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (initiation: vapour) category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
•	<u> </u>
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 1A	Carcinogenicity Category 1A
Carc. 1B	Carcinogenicity Category 1B
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Flam. Sol. 1	Flammable solids Category 1
Muta. 1B	Germ cell mutagenicity Category 1B
Repr. 2	Reproductive toxicity Category 2

01/22/2014 EN (English US) 25/26

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H228	Flammable solid
	May form combustible dust concentrations in air
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
L	

**NFPA Health Hazard** 

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

**NFPA Fire Hazard** 

: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can

occur.

**NFPA Reactivity** 

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

SDS US (GHS HazCom) - US

01/22/2014 EN (English US) 26/26